




亞寰企業股份有限公司
Panatack Enterprises CO., LTD

ADD: No.160-5, Shen Chiao Rd., Da-Tsun Hsiang, Changhua, Taiwan
Tel: 04-8521334 / Fax: 04-8526274
E-mail: panatack@panatack.com



panatack 2009
Professional Hand Tool Manufacturer

Brad Nailer



About Us

Panatack Enterprise Co.,Ltd has been the specialized manufacturer in industrial Staples, hand tackers, pneumatic gun tackers, and hammer tackers in Taiwan since 2001. During the years, Panatack is also known as a world leader in hand tacker and automatic fastening solutions in the world market. To professional builders, Panatack is a dependable source for pneumatic nailers and tacker staplers.

With endless efforts and innovation in product developing as well as good experiences in production for years, Panatack has continuously invested the most advanced facilities and established its own R&D department to devote the superior quality and after service to customers with satisfaction. Panatack has the product you need to get the job well done with high quality and efficiency in your daily work application.

Panatack is not only a brand, but a reliable and professional partner that helps make good performance. With Panatack's products in hand, everything makes smooth and easy. When working, think of Panatack.

Panatack Enterprises Co., Ltd.
Chairman
Jackson Huang

CONTENTS

All Metal Multi Tacker
Metal Multi Tacker.....01

Plastic Multi Tacker
Plastic-body tacker.....04

Hammer Tacker
Hammer Tacker.....05

Stapler Remover
Stapler Remover.....06

Staples
Available Staples.....06



Brad Nailer
Brad Nailer.....07



SF9034 34 Degree Clipped Head Framing Nailer

- Features**
- *Powerful
 - *Dial adjustable depth control
 - *Easy top drop-in magazine loading
 - *Toenail safety level for easy nailing
 - *Ergonomic & comfortable handgrip provides a firm grip
 - *Fastener indicator allows operator to check when reloading is needed.
 - *Accept 0.113"/0.120"/0.131"/0.148" shank nails



Specification
Load Capacity: 90nails
Dimensions: 21.4"x 4.1"x14.2"
Operating pressure: 70-110PSI
Weight: 7.9lbs



SF9021 21 Degree Full Round Head Framing Nailer

- Features**
- *Powerful
 - *Dial adjustable depth control
 - *Easy top drop-in magazine loading
 - *Toenail safety level for easy nailing
 - *Ergonomic & comfortable handgrip provides a firm grip
 - *Fastener indicator allows operator to check when reloading is needed.
 - *Accept 0.113"/0.120"/0.131"/0.148" shank nails

Specification
Load Capacity: 64nails
Dimensions: 21.2"x 4.1"x14.2"
Operating pressure: 70-110PSI
Weight: 7.9lbs





Power Nail

| | Shank Diameter | | Length | | Shank Type | Finished |
|---|------------------|-----------------|------------------------|------------------------|-------------------------------|---|
| Wire Collated Nails | 1.65mm (0.065") | 2.87mm (0.113") | 22-32mm, 7/8"-1-1/4" | 50-70mm, 2"-2-3/4" | a.Smooth b.Screw c.Ring | a.Mech. Galvanized b.DG c.Yellow Zinc d.Clear Zinc e.Stainless Stl. |
| | 2.10mm (0.083") | 3.05mm (0.120") | 25-50mm, 1"-2" | 64-90mm, 2-1/2"-3-1/2" | | |
| | 2.20mm (0.086") | 3.33mm (0.131") | 25-50mm, 1"-2" | 64-90mm, 2-1/2"-3-1/2" | | |
| | 2.30mm (0.090") | 3.76mm (0.148") | 32-60mm, 1-1/4"-2-3/8" | 57-64mm, 2-1/4"-2-1/2" | | |
| | 2.50mm (0.099") | | 38-64mm, 1-1/2"-2-1/2" | | | |
| Roofing Coil Nails | 3.05mm (0.120") | | 19-45mm 3/4"-1-3/4" | | a.Smooth b.Ring | a.Mech. Galvanized b.DG c.Yellow Zinc d.Clear Zinc e.Stainless Stl. |
| 15Ga. Finish Nails | 1.77mm, (0.070") | | 19-64mm, 3/4"-2-1/2" | | a.Smooth | a.Yellow Zinc b.Clear Zinc c.Stainless Stl. |
| 21Degree Plastic Strip Nails Round Head | 2.87mm (0.113") | | 50-70mm, 2"-2-3/4" | | a.Smooth b.Screw c.Ring | a.Mech. Galvanized b.DG c.Yellow Zinc d.Clear Zinc e.Stainless Stl. |
| | 3.05mm (0.120") | | 64-90mm, 2-1/2"-3-1/2" | | | |
| | 3.30mm (0.131") | | 64-90mm, 2-1/2"-3-1/2" | | | |
| | 3.76mm (0.148") | | 38-83mm, 1-1/2"-3-1/4" | | | |
| | 4.10mm (0.162") | | 41-89mm, 1-5/8"-3-1/2" | | | |
| 28&34 Degree Paper Strip D Head | 2.87mm (0.113") | | 50-75mm, 2"-3" | | a.Smooth b.Screw c.Ring | a.Mech. Galvanized b.DG c.Yellow Zinc d.Clear Zinc e.Stainless Stl. |
| | 3.05mm (0.120") | | 60-90mm, 2-1/2"-3-1/2" | | | |
| | 3.33mm (0.131") | | 38-100mm, 1-1/2"-4" | | | |
| | | | | | | |



Brad Nailer



P5025 18 Gauge 1" L, 1/4 Crown Brad Nailer

Features

- *Light weight die-cast body
- *Slim nose allows you to reach tight spots
- *Quick release for easy jam clearance
- *Ergonomic & comfortable handgrip provides a firm grip
- *Quick side loading system
- *No-Mar contact tip included
- *Multi-Directional exhaust cover

Specification

Shank Diameter: 1.25mm(Width) x 1.0mm(Thickness)
 Load Capacity: 80 nails
 Dimensions: 10.4"x 2.4"x8.9"
 Operating pressure: 70-100psi
 Weight: 2.8lbs

P7116 22 Gauge 5/8" L- 3/8" Crown Nailer

Features

- *Compact and lightweight design
- *Trigger lock is as a safety precaution while tool is not in use
- *Ergonomic & comfortable handgrip provides a firm grip
- *Drop-in loading for quick fastener reloading


Specification

Crown: 9.1mm
 Shank Diameter: 0.75mm(Width) x 0.6mm(Thickness)
 Load Capacity: 160 staples
 Dimensions: 8.1"x 2"x5.9"
 Operating pressure: 70-100psi
 Weight: 1.8lbs

All Metal

Applications:

- Workshop and DIY jobs
- Decorative and upholstery
- Paper, fabric and plastic sheeting





CR-50 2" L Roofing Coil Nailer

Features

- *Powerful, fast and light weight 5.5lbs
- *Durable steel safety foot
- *Dial adjustable depth control
- *Metal side guards prevent tool from slipping on inclined surfaces.
- *Adjustable shingle guide for optimal performance.
- *Ergonomic & comfortable handgrip provides a firm grip
- *Fastener indicator to easily check if reloading is necessary
- *Multi-Directional exhaust cover

Specification

Load Capacity: 120nails
 Dimensions: 10.6"x 4"x10.7"
 Operating pressure: 70-100PSI
 Weight: 5.5lbs




DA64 15 Gauge 2 1/2" L Angle Finish Nailer

Features


- *Light weight: 4.9lbs
- *Powerful
- *Quick release for easy jam clearance
- *No-mar contact tip included
- *Dial adjustable depth control
- *Ergonomic & comfortable handgrip provides a firm grip
- *Multi-Directional exhaust cover
- *Portable plastic carrying case

Specification

Load Capacity: 100 nails
 Dimensions: 15.3"x3.2"x12.2"
 Operating pressure: 70-100PSI
 Weight: 4.9lbs



8512CP (Chrome)



8512

8512 / 8512CP Metal Tacker


- * Metal sturdy construction
- * Jamming removing design
- * Modish styling
- * Use staples 23/6-8 , 53/4-8

Packing

Inner box: 6pcs
 Carton: 36pcs

Color:

Staples



8513CP (Chrome)



8513

8513 / 8513CP Metal Multi Tacker


- * Metal sturdy construction and modish styling
- * Easy jamming removing
- * Easy loading staples and high efficiency
- * Use staples 23/6-10, 53/6-10, 13/6-10mm

Packing

Inner box: 6pcs
 Carton: 24pcs

Color:

Staples



All Metal



Plastic Tacker




8514 / 8514CP Metal Multi Tacker

- * Power adjustable for high-low impact feature
- * Easy jamming removing
- * Easy loading staples and high efficiency
- * Use staples 53/6-14 and 18 gauge brad up to length 16mm

Packing

Inner box: 6pcs
Carton: 24pcs

Color:




8518 Metal Multi Tacker

- * Metal construction with 4-way function
- * Power adjustable for high-low impact feature
- * Easy loading staples and high efficiency
- * Ideal for wide range of applications
- * Use staples 53/6-14, 18 gauge brad up to length 16mm
- U type Dia. 6.2mm in length 10-14mm, Pin 16mm

Packing

Inner box: 6pcs
Carton: 24pcs

Color:



Applications:

- Workshop and DIY jobs
- Decorative and upholstery
- Paper, fabric and plastic sheeting




8503 Plastic Tacker

- * Lightweight with modish styling
- * Easy jamming removing
- * Easy loading staples and high efficiency
- * Use staples 23/6-10, 53/6-10, 13/6-10mm

Packing

Inner box: 6pcs
Carton: 24pcs

Color:




8504 Plastic Tacker

- * Power adjustable for high-low impact feature
- * Easy jamming removing
- * Easy loading staples and high efficiency
- * Use staples 53/6-14 and 18 gauge brad up to length 16mm

Packing

Inner box: 6pcs
Carton: 24pcs

Color:




8528 4 way Staple Gun Tacker

- * Durable Metal construction with 4-way function
- * Power adjustable for high-low impact feature
- * Ideal for wide range of applications
- * Use staples 53/6-14 and 18 gauge brad up to length 14mm
- U type Dia. 6.2mm in length 10-12mm, Pin 14mm

Packing

Inner box: 12pcs
Carton: 24pcs




8529 Metal Tacker

- * Metal Sturdy construction and modish styling
- * Power adjustable for normal-max impact feature
- * Easy loading staples/nails and high efficiency
- * Safety locking device of handle
- * Available for Arrow T50 staples and 18 gauge brad 14-16mm

Packing

Inner box: 6pcs
Carton: 24pcs

Color:




8502 Plastic Tacker

- * Lightweight for easy operation
- * Easy loading staples and high efficiency
- * Use staples 23/6-8, 53/4-8

Packing

Inner box: 6pcs
Carton: 36pcs

Color:





Hammer Tacker

Applications:


- Roofing upholstery
- Carpet installation
- Insulation material



18000 Hammer Tacker

- * Ergonomical design with comfortable non-slip grip
- * Easy tapping with excellent performance
- * Extra jamming removing device
- * Available staples 53/6-10mm


Color:




18001 Hammer Tacker

- * Long reach ergonomic design with comfortable non-slip grip
- * Easy tapping with excellent performance
- * Extra jamming removing device
- * Available for Arrow T50 staples 6mm-10mm

Color:




How to use



18002 Hammer Tacker

- * Durable heavy duty metal construction
- * Long reach ergonomic design with comfortable non-slip grip
- * Extra jamming removing device
- * Available for Arrow T50 staples 6mm-14mm

Color:



5724 Heavy duty plier stapler

- * Durable metal construction
- * Maximum stapling capacity up to 40 sheets
- * Easy loading staples 24/6, 24/8, 26/6 and 26/8

Packing

Inner box: 20pcs
Carton: 40pcs

Stapler Remover



5098 Heavy Staple Remover

- * Level design for easy removing staples efficiently
- * Remove all kinds of staples
- * Hardened blade for durable operation

Color:



5088 Heavy Staple Remover

- * Practical staple remover with firm handle and pliers grip
- * Remove all kinds of staples
- * Level design reduce the amount of strength needed
- * Perfect for heavy duty jobs and removing deeply engrained staples.

Color:

Tacker Staples

| SERIES | ITEM | CROWN (mm) | LEG LENGTH (mm) | STICK | PACKING (pcs/box) |
|-----------|-------|------------|-----------------|-------|-------------------|
| 13 SERIES | 0134 | 10.6 | 4 | 100 | 1200 |
| | 0136 | 10.6 | 6 | 100 | 1200 |
| | 0138 | 10.6 | 8 | 100 | 1000 |
| | 01310 | 10.6 | 10 | 100 | 1000 |
| | 01312 | 10.6 | 12 | 100 | 1000 |
| | 01314 | 10.6 | 14 | 100 | 1000 |
| 23 SERIES | 0238 | 12.85 | 8 | 100 | 1000 |
| | 023A | 12.85 | 10 | 100 | 1000 |
| | 023D | 12.85 | 13 | 100 | 1000 |
| | 023F | 12.85 | 15 | 100 | 1000 |
| | 023H | 12.85 | 17 | 100 | 1000 |
| | 023K | 12.85 | 20 | 100 | 1000 |
| | 023N | 12.85 | 23 | 100 | 1000 |
| 53 SERIES | 0534 | 11.4 | 4 | 100 | 1200 |
| | 0536 | 11.4 | 6 | 100 | 1200 |
| | 0538 | 11.4 | 8 | 100 | 1000 |
| | 05310 | 11.4 | 10 | 100 | 1000 |
| | 05312 | 11.4 | 12 | 100 | 1000 |
| | 05314 | 11.4 | 14 | 100 | 1000 |

Brad Nailer



Pneumatic Tool



Multi Tacker



Hammer Tacker

Brad Nailer



Staples

| inch | mm |
|---------|----|
| 3/8" | 10 |
| 5/8" | 15 |
| 3/4" | 20 |
| 1" | 25 |
| 1 3/16" | 30 |
| 1 1/4" | 32 |

P1832 18 Gauge 1 1/4" L Brad Nailer

Features

- *Light weight die-cast body
- *Slim nose allows you to reach tight spots
- *Quick release for easy jam clearance
- *Ergonomic & comfortable handgrip provides a firm grip
- *Quick side loading system
- *No-Mar contact tip included
- *Multi-Directional exhaust cover

Specification

Shank Diameter: 1.25mm(Width) x 1.0mm(Thickness)
 Load Capacity: 100nails
 Dimensions: 10.4"x 2.4"x8.9"
 Operating pressure: 65-100psi
 Weight: 2.53lbs



Staples

| inch | mm |
|---------|----|
| 3/4" | 20 |
| 1" | 25 |
| 1 3/16" | 30 |
| 1 1/4" | 32 |
| 1 3/8" | 35 |
| 1 9/16" | 40 |
| 1 3/4" | 45 |
| 2" | 50 |

P1850 18 Gauge 2" L Brad Nailer

Features

- *Light weight die-cast body
- *Slim nose allows you to reach tight spots
- *Quick release for easy jam clearance
- *Ergonomic & comfortable handgrip provides a firm grip
- *Quick side loading system
- *No-Mar contact tip included
- *Multi-Directional exhaust cover

Specification

Shank Diameter: 1.25mm(Width) x 1.0mm(Thickness)
 Load Capacity: 100nails
 Dimensions: 10.4"x 2.4"x10.2"
 Operating pressure: 65-100psi
 Weight: 2.9lbs



Staples

| inch | mm |
|------|----|
| 1/2" | 13 |
| 5/8" | 16 |
| 3/4" | 19 |
| 7/8" | 22 |
| 1" | 25 |

1/2", 12.7mm

P9025 18 Gauge 1" L, 1/4" Crown Nailer

Features

- *Light Weight only 2.7lbs
- *Slim nose allows you to reach tight spots
- *Quick release for easy jam clearance
- *Ergonomic & comfortable handgrip provides a firm grip
- *Drop-in loading for quick fastener reloading
- *No-Mar contact tip included
- *Multi-Directional exhaust cover

Specification

Shank Diameter: 1.25mm(Width) x 1.00mm(Thickness)
 Load Capacity: 80 staples
 Dimensions: 10.4"x 2.4"x8.9"
 Operating pressure: 65-100psi
 Weight: 2.7lbs



Staples

| inch | mm |
|--------|----|
| 1/2" | 13 |
| 5/8" | 16 |
| 3/4" | 19 |
| 7/8" | 22 |
| 1" | 25 |
| 1 1/4" | 32 |
| 1 1/2" | 38 |

1/2", 12.7mm

P9038 18 Gauge 1 1/2" L, 1/4" Crown Nailer

Features

- *Light weight die-cast body
- *Slim nose allows you to reach tight spots
- *Quick release for easy jam clearance
- *Ergonomic & comfortable handgrip provides a firm grip
- *Drop-in loading for quick fastener reloading
- *No-Mar contact tip included
- *Multi-Directional exhaust cover

Specification

Shank Diameter: 1.25mm(Width) x 1.0mm(Thickness)
 Load Capacity: 80 staples
 Dimensions: 10.4"x 2.4"x10.2"
 Operating pressure: 65-100 psi
 Weight: 3.1lbs